

ササクール A

THIS MEDICINE FOR GENERAL USE

SASA-COOLA (SASA-COOLA is a sino-japanese medicine “響声破笛丸”)

(Category 2 OTC medicines)

INDICATIONS :

Husky voice, discomfort of throat

CAUTION FOR USE

• Who should seek consultation

1. The following persons should consult a physician, pharmacist or registered distributor, before taking this medicine.
 - (1) Persons undergoing medical treatment from a physician.
 - (2) Pregnant women or women suspected of being pregnant.
 - (3) Persons with weak stomach and intestines who have a tendency to diarrhea.
 - (4) Persons who have experienced rash • redness or itching, etc. due to medicines or something.
2. The following symptoms may be adverse reactions to this medication. If any of these symptoms occur, stop taking this medicine immediately and consult a physician, pharmacist or registered distributor. Take the instruction leaflet with you.

Related areas	Symptoms
Skin	Rash • redness, itching
Gastrointestinal system	Loss of appetite, gastric distress

3. Stop taking this medicine and consult a physician, pharmacist or registered distributor if symptoms do not improve after taking this medicine for 5 to 6 times. Take this leaflet with you.

CAUTION ASSOCIATED INDICATION

The medicine can be applied to everyone regardless of physical strength.

DOSAGE

Put each pellet in your mouth, allow it to dissolve slowly and the swallow it, between meals.

(“Between meals” means a couple of hours after meals.)

Age	One dosage	Daily dosage
Adult (15 years or over)	50 Pellets	3 times
7 years or over ~ under 15 years	30 Pellets	
4 years or over ~ under 7 years	25 Pellets	
2 years or over ~ under 4 years	12 Pellets	
Less than 2 years	Do not use	

CAUTION ASSOCIATED WITH DOSAGE

- (1) Observe the dosage and usage.
- (2) This medication should be given to children only under adult supervision.
- (3) When young children take this medication, be careful it does not get stuck in the throat.

INGREDIENTS

Composition	150 Pellets (Daily dosage)
Rengyo (Forsythia Fruit)	0.75g
Kikyo (Platycodon Root)	0.75g
Kanzo (Glycyrrhiza)	0.75g
Shukusya (Amomum Seed)	0.30g
Senkyu (Cnidium Rhizome)	0.30g
Kashi (Myrobalan)	0.30g
Asenyaku (Gambir)	0.60g
Hakka (Mentha Herb)	1.20g
Rengyo powder (Powdered Forsythia Fruit)	188mg
Kikyo powder (Powdered Platycodon Root)	188mg
Kanzo powder (Powdered Glycyrrhiza)	188mg
Shukusya powder (Powdered Amomum Seed)	75mg
Senkyu powder (Powdered Cnidium Rhizome)	75mg
Kashi powder (Powdered Myrobalan)	75mg
Asenyaku powder (Powdered Gambir)	150mg

Hakka powder (Powdered Mentha Herb)	300mg
-------------------------------------	-------

Inactive ingredients: starch

CAUTION

Since the medicine contains crude drugs, the pellet color may vary for individual products, however this has no influence on the efficacy of the medicine.

PRECAUTIONS FOR STORAGE AND HANDLING

- (1) Store in a cool dry place free from direct sunlight.
- (2) Keep all medication out of the reach of children.
- (3) Do not transfer to another container to prevent misuse and quality deterioration.
- (4) When you take this medicine in divided dose, fold over the opened edge of the packet and store it. The remaining medicine should be taken within 2 days.

MANUFACTURED AND DISTRIBUTED BY:

WAKAN-YAKU MEDICAL INSTITUTE CO. LTD.

1193 Akagisan, Fujimi-machi, Maebashi-shi, Gunma. Japan

Prepared: December 2023 (Second edition)